# POIReviewQA: A Semantically Enriched POI Retrieval and Question Answering Dataset

GIR'18, Nov. 2018




**Gengchen Mai**<sup>1</sup> Krzysztof Janowicz<sup>1</sup> Cheng He<sup>2</sup> Sumang Liu<sup>2</sup> Ni Lao<sup>2</sup>

<sup>1</sup> STKO Lab, University of California Santa Barbara <sup>2</sup>SayMosaic Inc., Palo Alto, CA, USA



# LOCATION-BASED SERVICES & POI SEARCHING

Location-based services (LBS) and the underlying Point of Interest (POI) datasets play a increasingly important role in our daily interaction with mobile devices.





Google Place

Yelp

Foursquare

# LOCATION-BASED SERVICES & POI SEARCHING

■ Platforms such as Yelp, Foursquare, Google Map allow users to search nearby POIs based on their names, place types, or tags, which requires manual data annotation.

Halal Food Map Area







Place Name Search

Place Type Search

Tag Search

### PROBLEMS IN CURRENT POI SEARCHING

Predefined Tags: The tags (take reservations, delivery, take out) are also predefined and manually added which may not satisfy users' needs and require a lot of manually efforts.

### Hours

 Mon
 5:30 pm - 9:30 pm

 Tue
 5:30 pm - 9:30 pm

 Wed
 5:30 pm - 9:30 pm

 Closed now

 Thu
 5:30 pm - 10:00 pm

 Fit
 5:30 pm - 10:00 pm

 Sat
 5:30 pm - 10:00 pm

Sun Closed

### Edit business info

Upcoming Special Hours
Thu 11/22/2018 Closed
Mon 12/24/2018 Closed
Mon 12/31/2018 Closed

### More business info

Liked by Vegetarians Yes
Takes Reservations Yes

Delivery No

Take-out No

Accepts Credit Cards Yes


Good for Kids No

Good for Groups Yes
Outdoor Seating Yes

.

### PROBLEMS IN CURRENT POI SEARCHING

Predefined Schema: The place type schema is predefined and unbalanced.



### Introduction

- Do we utilize all info in Yelp for search?
- Yelp contains billions of Points of Interest (POIs) and their attributes:
  - name
  - location
  - type
  - open times
  - rating
  - reviews
  - · ...
- Can we use other crowdsourcing information e.g. reviews to enrich POI and facilitate POI searching process?



# Answering Questions By POI Reviews



### **Ask the Community**

### Is this place dog friendly?



They have an outdoor patio and I've seen customers with dogs sitting outside.

11 months ago • 1 person found this helpful

View 1 more answer

### 12/3/2017


Awesome brewery. There are so many breweries in San Diego but this one definitely stands out. It's fairly inexpensive and it's dog friendly. Both indoor and outdoor seating areas, you know since it's sunny in San Diego year round.

As far as the beer goes, what's your speed? From stouts to IPAs, they have you covered.




GENGCHEN MAI<sup>1</sup>, Krzysztof Janowicz<sup>1</sup>, Cheng He<sup>2</sup>, Sumang Liu<sup>2</sup>, Ni Lao<sup>2</sup>

# Answering Questions By POI Reviews



# Answering Questions By POI Reviews



Hey Bailee, the dish is dairy free, the dish is not gluten free because the salmon marinade has a slight amount of gluten in it from the soy sauce. However, upon request we can use gluten

free soy sauce for the salmon but it may take a bit longer to... Read more



POIReviewQA

Introduction 000000000

# POI REVIEW IR & QA


- A Challenging Task: semantically enriching POIs from unstructured data, e.g. POI reviews, in order to support open-domain search and question answering (QA).
- One Approach: Given a question, e.g. find night clubs near me which are 18+, build a model to:
  - Generate the answer to the question given the current POI review
  - Rank POI reviews based on whether they can answer it and the distance from POIs to the user location.
- Problem: No existing benchmark dataset to train and evaluate such kind of models
  - No GIR Corpus: Only a few existing GIR benchmark datasets (e.g., GeoCLEF); lack in rich annotations.
  - No QA Corpus: Many QA datasets for reading comprehension such as SQuAD; no spatial/platial component; very different query sets.

### Our Contribution

- We introduce a evaluation benchmark dataset POIReviewQA which consists of 20k questions for 1022 Yelp business types to support open-domain POI search and QA.
- We build two baseline models: a Lucene-based baseline model and a sentence embedding-based model which indicate that the dataset presents a challenging problem for future research by the GIR community


# POIReviewQA

- We created POIReviewQA based on the Yelp Challenge 11 (YC11) dataset and the "Ask the Community" section of POI pages.
- Yelp platform is dominated by popular business types such as restaurants.
- We need to produce a balanced query set for all business types.



# QUERY SET GENERATION

- Count the frequencies of POI name suffixes (single words) in YC11
- For every suffix (freq >= 10), we create a quoted search query, and collect QA page URLs from Google search engine:
  - site:yelp.com/questions/ "Restaurant Ask the Community"
  - 1,701 quoted search queries
  - Up to 100 search results for each query
- Collect questions and answers from the community QA pages



# QUERY SET GENERATION

- Since the suffix often indicates the place type of a POI, the collected query set has a wide coverage of different place types.
- 20K questions were collected from Yelp business question pages for 1022 Yelp business types.
- Each question is associated with one or multiple POIs with several POI types.

Question: Age to get in?

### Context:


- Echoplex [Music Venues, Bars, Dance Clubs]
- Paper Tiger Bar [Cocktail Bars, Lounges]

### RELEVANCE AND ANSWER ANNOTATION

POIReviewQA

- For each question, 10 review candidates are selected:
  - Apply Elastic Search to POI reviews based on the question with constraint to the associated POI types
  - Do **stratified sampling** on the search result





- We developed a crowd-facing Web server and deployed it on Amazon Mechanical Turk to let raters annotate the answer for each question given POI reviews.
- Each rater is given a question and 10 review candidates associated with it which are divided into sentences.
- For each sentence:
  - Whether it answer the current question
  - What the corresponding answer is
- Each question is annotated by 3 different raters to avoid subject biases.

### RELEVANCE AND ANSWER ANNOTATION


### Survey Instructions (Click to collapse)

### Help Label Yelp Buisness Reviews


This task aims at chosing which Yelp review sentences answer the given business question.

- . For this task, we are giving you a guestion which was posted on Yelp regarding a specific business (Source Business), i.e., Age to get in?:
- . Source Businesses and Types are provided to let you have a better understanding of the context of this question, i.e., Echoplex [Music Venues & Bars, Dance Clubs];
- 10 Yelp reviews from different businesses are provided. Each review is divided into sentences: · Please select one or multiple sentences which answer the question asked, i.e., Wide variety of people of all ages 21+:
- - . Please also summerize the answer(s) you chosen in your own words, i.e., 21 or older;
- · Note: if none of the sentences is correct, please ONLY select None of them and leave the summerization text box EMPTY;
- . Note: these 10 reviews are not related to each other. Each review comes from a different business, which may provide different answers. All them are considered correct,
- i.e. Review A: 21 or older or Review B: 20 or older

An Example Ouestion and Review Pair:



### RELEVANCE AND ANSWER ANNOTATION



■ 4100 out of 20K questions have been annotated until now.

**Table 1.** The Statistic of POIReviewQA

# of Annotated question	4,100
% of questions WITHOUT related reviews	11.4%
Avg. # of related <i>reviews</i> per question	4.61
Avg. # of 1 rater agreeing on relevant sentence per question	2.19
Avg. # of 2 raters agreeing on relevant sentence per question	1.08
Avg. # of 3 raters agreeing on relevant sentence per question	0.83

■ For these 4100 questions, **11.4%** of them are **without** any related reviews.

**Table 1.** The Statistic of POIReviewQA

# of Annotated question	
% of questions WITHOUT related reviews	11.4%
Avg. # of related <i>reviews</i> per question	4.61
Avg. # of 1 rater agreeing on relevant sentence per question	2.19
Avg. # of 2 raters agreeing on relevant sentence per question	1.08
Avg. # of 3 raters agreeing on relevant sentence per question	0.83

■ For these 4100 questions, **4.61** out of 10 reviews are related per question.

**Table 1.** The Statistic of POIReviewQA

# of Annotated question	
% of questions WITHOUT related reviews	11.4%
Avg. # of related <i>reviews</i> per question	4.61
Avg. # of 1 rater agreeing on relevant sentence per question	2.19
Avg. # of 2 raters agreeing on relevant sentence per question	1.08
Avg. # of 3 raters agreeing on relevant sentence per question	0.83

- Interrater agreement (given 3 raters per review sentence):
  - Divide the sentences into 4 sets based on the number of raters that agreed on each sentence: *R*<sub>0</sub>, *R*<sub>1</sub>, *R*<sub>2</sub>, *R*<sub>3</sub>
  - Randomly sample 20 sentences from each of the last three sets (R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub>)
  - Manually inspect the relevance of these sentences to the corresponding questions and calculate the accuracy for each set

Acc. of R <sub>1</sub>	45%
Acc. of $R_2$	90%
Acc. of R <sub>3</sub>	100%

■ The average number of sentences from each set  $(R_1, R_2, R_3)$  per question

**Table 1.** The Statistic of POIReviewQA

# of Annotated question	
% of questions WITHOUT related reviews	11.4%
Avg. # of related <i>reviews</i> per question	4.61
Avg. # of 1 rater agreeing on relevant sentence per question	2.19
Avg. # of 2 raters agreeing on relevant sentence per question	
Avg. # of 3 raters agreeing on relevant <i>sentence</i> per question	0.83

### **EVALUATION METRICS**

■ Mean average precision (MAP)

$$\mathrm{MAP} = rac{\sum_{q=1}^{q} \mathrm{AveP(q)}}{Q}$$

 Area Under receiver operating characteristic Curve (AUC)





Figure 5. AUC (Area under the ROC Curve).

# BASELINE MODEL

■ Lucene based model: For each question, we rerank all the sentences from the 10 reviews selected by Elasticsearch by TF-IDF model.



### Baseline Model

### ■ Sentence embedding model (Sanjeev Arora et al. ICLR 2017)

### Algorithm 1 Sentence Embedding

**Input:** Word embeddings  $\{v_w : w \in \mathcal{V}\}$ , a set of sentences  $\mathcal{S}$ , parameter a and estimated probabilities  $\{p(w) : w \in \mathcal{V}\}$  of the words.

**Output:** Sentence embeddings  $\{v_s : s \in \mathcal{S}\}$ 

- 1: **for all** sentence s in S **do**
- $v_s \leftarrow \frac{1}{|s|} \sum_{w \in s} \frac{a}{a+p(w)} v_w$
- 3: end for
- 4: Form a matrix X whose columns are  $\{v_s : s \in \mathcal{S}\}$ , and let u be its first singular vector
- 5: for all sentence s in S do
- $6: \quad v_s \leftarrow v_s uu^\top v_s$
- 7: end for

### EVALUATION

We evaluate two baseline models against POIReviewQA by using AUC, MAP

	Lucene Based	Sentence Embedding
AUC	77.0%	79.2%
MAP	48.8%	41.0%

# Evaluation

- Q: Question
- T: POI Type
- C: Review Sentence
- A: Answer
- H: Human judgements
- L: Lucene
- E: Sentence Embedding

Reason	Example	Ranking (H/L/E)
	Q: About how long should I expect my	, ,
	visit to be?	
Paraphrase	T: Venues & Event Spaces; Kids Activities	1/107/88
	C: We were there for about 2 hours, in-	out of 158
	cluding the show.	
	A: took 2 hrs	
	Q: Any good vegan choices?	
	T: Restaurants→Cajun/Creole	2/49/18
Hyponym	Sent: After scanning the menu for a bit	out of 83
	however, I was able to find the tofu wings.	
	A: Tofu wings could be a choice	
	Q: Any recommendations on how to score	
C	a table?	
Synonymy	T: Restaurants→French	1/63/14
	C: I made a reservation a day in advance	out of 98
	thinking it will be busy.	
	A: A day in advance	
	Q: Are there classes for seniors?	
Deduction	T: Art Galleries; Art Schools	1/60/15
Deduction	C: Great studio for all, including kids!	out of 72
	A: There are classes for seniors	
	Q: Do they buy comic books?	
Common	T: Shopping→Comic Books	1/45/53
Sense	C: The concerns: The store currently has	out of 62
	no consignment or new issues.	
	A: No	

### Conclusion

- we introduce a evaluation benchmark dataset POIReviewQA¹ which consists of 20k questions for 1022 Yelp business types to support open-domain POI search and QA.
- We build two baseline models: a Lucene-based baseline model and a sentence embedding-based model which indicate that the dataset presents a challenging problem for future research by the GIR community
- The POIReviewQA Task follows the idea of semantic signatures for social sensing by which we can study POI types using patterns extracted from human behavior, e.g., what people write about places of a particular type.

http://stko.geog.ucsb.edu/poireviewqa/